

QSpot Standalone Emergency Spot (Surface)

Emergency Range

CODE: Q-SF-1W/3H/L

QVIS[®]
LED LIGHTING




1W
Power

5YR
Warranty
+3YR
Battery*

IP54


130
Lumens

TECHNICAL DRAWINGS



A = 35mm C = 130mm
B = 130mm

LUMINOUS INTENSITY DISTRIBUTION



OPEN LENS

CORRIDOR LENS

Specification	QSpot
System Power	1W
Driver Manufacturer	Q-Drive
LED Chipset	Epistar
Lumen Output	130Lm
Colour Rendering Index	>80
Discharge Duration	3 Hours
IP Rating	IP54
Emergency Type	Non-Maintained or Maintained
Emergency Testing	Manual
Colour Temperature	6500K
Lens Type	Open Lens or Corridor Lens
Battery Type	LiFePO4, 3.2V, 1500mAh (Lithium Iron Phosphate)
Input Voltage	AC200-240V
Dimensions	130mm x 35mm
MacAdam Step	<3
Lifetime	50,000 hours, L70-B10 (Ta 25 °C)
CE Standards	EN60598-1, EN 60598 2-22, EN62493, EN55015, EN61547, EN61000-3-2, EN61000-3-3, EN62722-1, EN62722-2-1 and EN50581
CE Directives	LVD, EMC, ERP & RoHS

* Warranty terms and conditions apply

Information is subject to change and can be withdrawn without notice

For further information on our products or terms and conditions visit our website www.qvis.co.uk/lighting or email: sales@qvislighting.com