



QVIS® | 4 PORTS 10/100 PoE EXTENDER

FEATURES:

- Comply with IEEE 802.3af Power over Ethernet.
- 10/100 Supported.
- Extend the range of PoE an additional 120M.
- Automatically detects and protects PoE equipments from being damaged by incorrect installation.
- Plug-and Play no configuration required.
- 4 ports PoE extender can forward both ethernet and PoE power for 4 terminal equipments via Cat5 UTP cables.
- 1 port PoE extender can forward both ethernet and PoE power for 1 terminal equipment via Cat5 UTP cable.

SPECIFICATION	POE-5EXT
Network Port	PoE Input: 1 RJ45 port PoE Output: 4 RJ45 ports
Network Medium	Cat5 or better UTP cables (S120m)
Repeater Mode	Store and forward
MAC Address Table	2K
Packed Buffer Memory	48K Byte
Switching Capacity	1.0Gbps
PoE Standard	IEE E802. 3at (power-in) IEEE802.3af (power-out)
PoE Port Power	Input Power: 25.5Watts; Output: 24Watts in total
LED Display	PoE working status, ethernet
PoE Power Supply Type	1 /2(+), 3/6(-), Mode A, End-Span
Network Protocol	IEEE 802.3i: 10BASE-T IEEE 802.3u: 100Base-TX IEEE 802.3x: Flow Control IEEE 802.3af: Power over Ethernet IEEE 802.3at: Power over Ethernet (for 4-Ports PoE Extender only)
Regulation Compliance	FCC Part 15B RoHs Directive 2011/65/EU Low Voltage Directive 2014/35/EU Electromagnetic Compatibility Directive 2004/108/EC
Working Environment	Working Temperature: 0°C ~ 40°C Working Humidity: 10% ~ 90%, No Condensation
Storage Environment	Storage Temperature: -30°C ~ 70°C Storage Humidity: 5% ~ 90%, No Condensation
Dimensions	105 x 93 x 28.5mm

